


MAINLINE
nForcer™

The Pump Authority.

PUT WATER IN ITS PLACE.



PRODUCT BROCHURE



ENERGY EFFICIENT
SPLIT CAPACITOR MOTOR

QUALITY INSIDE AND OUT.

Mainline nForcer pumps feature five standard features that increase durability and efficiency.



They are built to last using cutting edge technology and high quality components.



Mainline nForcer pumps feature Industry-leading Warranties, better than those offered by most other brands.



Eco-friendly lubrication

Split capacitor motor for lower amp draw and longer life

Solid copper motor winding

Double o-ring seal

Stainless steel motor shaft

Mainline nForcer Pumps are backed with Industry-leading Warranties and Online Support. Call 1-800-495-9278 for Live Customer Service.



nForcerPumps.com



7 29440 77548 3

A PUMP FOR EVERY NEED. EVERY JOB. EVERY DAY. YEAR AFTER WORRY-FREE YEAR.

	Model	HP	Amps	Construction	Switch Type	Discharge Size	Discharge Location	Cord Length	Solids Handling	Warranty
UTILITY	MLP71025	1/5	3.6	Thermoplastic	N/A	1-1/4"*	Top	10'	1/8"	3 Year
SUMP	MLP72260	1/4	3.8	Thermoplastic	Vertical	1-1/4"-1-1/2"	Top	10'	1/8"	3 Year
	MLP72372	1/3	4.1	Thermoplastic	Vertical	1-1/2"	Side	10'	3/8"	3 Year
	MLP72331	1/3	4.1	Cast Iron	Tethered	1-1/2"	Side	10'	3/8"	5 Year
	MLP72341	1/3	4.1	Cast Iron	Vertical	1-1/2"	Side	10'	3/8"	5 Year
	MLP72352	1/3	5.9	Cast Iron	Vertical	1-1/2"	Side	10'	1/2"	5 Year
	MLP72511	1/2	7.6	Cast Iron	Vertical	1-1/2"	Side	10'	1/2"	5 Year
PEDESTAL	MLP72333	1/3	2.76	Thermoplastic	Vertical	1-1/4"	Side	10'	3/8"	3 Year
EFFLUENT	MLP72305	1/3	5.9	Cast Iron	Tethered	1-1/2"	Side	10'	5/8"	3 Year
	MLP72345	1/3	5.9	Cast Iron	Tethered	1-1/2"	Side	25'	5/8"	3 Year
	MLP71581	4/10	7.5	Stainless Steel	N/A	1-1/2"**-2"	Side	25'	3/4"	3 Year
	MLP71101	1/2	12	Stainless Steel	N/A	1-1/2"**-2"	Side	25'	3/4"	3 Year
SEWAGE	MLP73501	1/2	7.6	Cast Iron	Tethered	2"	Side	10'	2"	3 Year
	MLP73501-25	1/2	7.6	Cast Iron	Tethered	2"	Side	25'	2"	3 Year
	MLP73511	1/2	7.6	Cast Iron	Vertical	2"	Side	10'	2"	3 Year
	MLP73781	1/2	12	Stainless Steel	Tethered	2"	Side	15'	2"	3 Year
	MLP73781-25	1/2	12	Stainless Steel	Tethered	2"	Side	25'	2"	3 Year
	MLP73782-25	1/2	12	Stainless Steel	Vertical	2"	Side	25'	2"	3 Year
TRANSFER	MLP70060	1/2	8.4	Cast Iron	N/A	3/4"*	Side	25'	1/4"	1 Year
BACKUP KITS	MLP72910	N/A	12	Thermoplastic	Vertical	1-1/4"-1-1/2"	Top	10'	1/8"	3 Year
	MLP72941	1/3	4.1	Cast Iron/Thermo	Vertical	1-1/4"-1-1/2"	Side	10'	3/8"	5 Year

	Model	Pump	Basin Construction	Basin Size	Gallon Capacity	Vent & Discharge	Inlet Hub	Warranty
REMOTE DRAIN PUMP KIT	MLP72017	MLP72341	Corrosion Resistant Structural Foam	15" x 13-1/2"	6	1-1/2"	1-1/2"	5 Year
SEWAGE KITS	MLP73015	MLP73501	Corrosion Resistant Structural Foam	18" x 30"	30	2"	4"	3 Year
	MLP73024	MLP73501	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73024-25	MLP73501	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73026	MLP73511	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73026-25	MLP73511	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73074	MLP73781	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73074-25	MLP73781	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73078	MLP73781	Corrosion Resistant Structural Foam	18" x 30"	30	2"	4"	3 Year
	MLP73078-25	MLP73781	Corrosion Resistant Structural Foam	18" x 30"	30	2"	4"	3 Year
	MLP73076	MLP73782	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73076-25	MLP73782	High Density Polyethylene	24" x 24"	45	2"	4"***	3 Year
	MLP73080	MLP73782	Corrosion Resistant Structural Foam	18" x 30"	30	2"	4"	3 Year
	MLP73080-25	MLP73782	Corrosion Resistant Structural Foam	18" x 30"	30	2"	4"	3 Year

*3/4" garden hose adapter included. **With included adapter. ***Requires transition coupling, sold separately.

Mainline nForcer™ offers quality sump, sewage, utility, effluent and transfer pumps that ensure years of trouble-free operation, in residential as well as light commercial applications. Put them to the test!



SUMP PUMPS

- CAST IRON OR THERMOPLASTIC CONSTRUCTION
- 1/4 TO 1/2 HP PSC MOTOR
- CONTINUOUS DUTY MOTOR
- HANDLES 1/8" TO 1/2" SPHERICAL SOLIDS
- VERTICAL OR TETHERED FLOAT SWITCH
- 30-70 GPM
- 1-1/4" TO 1-1/2" DISCHARGE
- 10' POWER CORD



EFFLUENT PUMPS

- CAST IRON OR STAINLESS STEEL CONSTRUCTION
- 1/3 TO 1/2 HP PSC MOTOR
- CONTINUOUS DUTY MOTOR
- HANDLES 5/8" TO 3/4" SPHERICAL SOLIDS
- VERTICAL OR TETHERED FLOAT SWITCH
- NON-CLOGGING STAINLESS STEEL VORTEX IMPELLER
- 60-100 GPM
- 1-1/2" TO 2" DISCHARGE
- 10' OR 25' POWER CORD



SEWAGE PUMPS

- CAST IRON OR STAINLESS STEEL CONSTRUCTION
- 1/2 HP PSC MOTOR
- CONTINUOUS DUTY MOTOR
- HANDLES 2" SPHERICAL SOLIDS
- VERTICAL OR TETHERED FLOAT SWITCH
- NON-CLOGGING STAINLESS STEEL VORTEX IMPELLER
- 80-140 GPM
- 2" DISCHARGE
- 10', 15' OR 25' POWER CORD



REMOTE SINK/ DRAIN PUMP SYSTEM

- PRE-ASSEMBLED
- INCLUDES 1/3 HP CAST IRON SUMP PUMP (MLP72341)
- STRUCTURAL FOAM BASIN CONSTRUCTION
- CORROSION RESISTANT
- 6 GALLON CAPACITY BASIN
- GASKET SEALED, AIR TIGHT COVER
- 1-1/2" FPT INLET
- 1-1/2" FPT DISCHARGE AND VENT



UTILITY PUMPS

- THERMOPLASTIC CONSTRUCTION
- 1/5 HP PSC MOTOR
- CONTINUOUS DUTY MOTOR
- HANDLES 1/8" SPHERICAL SOLIDS
- UP TO 26 GPM
- 1-1/4" DISCHARGE (3/4" GARDEN HOSE ADAPTER INCLUDED)
- 10' POWER CORD



PEDESTAL SUMP PUMPS

- THERMOPLASTIC CONSTRUCTION
- 1/3 HP PSC MOTOR
- CONTINUOUS DUTY MOTOR
- HANDLES 3/8" SPHERICAL SOLIDS
- PUMP MOUNTED VERTICAL FLOAT SWITCH
- UP TO 50 GPM
- 1-1/4" DISCHARGE
- FOR USE IN SUMP BASINS 12" OR LARGER
- 10' POWER SUPPLY CORD



TRANSFER PUMPS

- CAST IRON CONSTRUCTION
- 1/2 HP BRUSH TYPE MOTOR
- CONTINUOUS DUTY MOTOR
- HANDLES 1/4" SPHERICAL SOLIDS
- UP TO 25 GPM
- 3/4" DISCHARGE (3/4" GARDEN HOSE ADAPTERS INCLUDED)
- 25' POWER CORD



SIMPLEX SEWAGE PUMP KITS

- PRE-ASSEMBLED
- STRUCTURAL FOAM BASIN CONSTRUCTION
- CORROSION RESISTANT
- 18" X 30" or 24" X 24" BASIN
- AIR TIGHT, MOLDED, REUSABLE PVC SEAL
- 4" INLET
- 2" NPT DISCHARGE AND VENT



BATTERY BACKUP

- 12V, 23 GPM PUMP WITH VERTICAL FLOAT SWITCH
- ALARM/CONTROL UNIT WITH FUSE AND MUTE FEATURE
- THERMOPLASTIC BATTERY BOX
- HARDWARE INCLUDED
- AC CHARGER WITH POWER CORD